

Safety Data Sheet for Drug product



Date of issue: 08-JUL-2014

Replaces version of: 08-JUL-2014

AFINI TABD 5MG ALU (3X10) U98 725225 (MARS)

1. Identification of the substance/preparation and of the company

Product name AFINI TABD 5MG ALU (3X10) U98
Chemical Class Rapamycin derivative
Generic Name Rapamycin, 42-O-(2-hydroxyethyl)-
Pharmacological Action immunosuppressant
Usage Drug product (pharmaceutical bulk, primary packed, finished product, pharmaceutical intermediate)
Company name Novartis Pharmaceuticals Corporation
One Health Plaza
East Hanover, NJ 07936-1080
USA
Emergency phone number +1 862 778 7777

2. Hazards identification

For side effects, which could also have impact for people working with this substance, please refer to the Patient Information Leaflet.

3. Composition / information on ingredients

For classification of declared components, see section 15, "Regulatory Information"

| Chemical Name | Contains: | CAS Number |
|-----------------------------------|-----------|-------------|
| Rapamycin, 42-O-(2-hydroxyethyl)- | 0.1 - 2 % | 159351-69-6 |

Remaining components are inert ingredients.

For TLV values of declared components, see Section 8, Exposure controls / Personal

4. First aid measures

Eye Contact Immediately rinse eyes thoroughly with running water as long as possible (approx. 15 min). Take injured quickly to factory medical center or call an ambulance (code word: eye accident).
Skin Contact Remove contaminated clothing. Rinse contaminated skin immediately with plenty of water and soap and seek medical advice.
Inhalation Remove the victim from danger zone, avoid further exposure.
Ingestion If swallowed, seek medical advice immediately and show this container or label.
Notes to Physician General measures to eliminate the substance and to reduce absorption.

5. Fire fighting measures

Suitable Extinguishing Media Water spray or fog, foam, dry chemical powder, CO2, dry sand
Unsuitable Extinguishing Media No restrictions
Dangerous Combustion Products carbon oxides, nitrogen oxides
Protective equipment for firefighters Wear self-contained breathing apparatus and fire protective suite.

6. Accidental release measures

Personal precautions Avoid contact with skin, eyes and clothing.
Environmental Must not be released into sewers, drains or wells.

Safety Data Sheet for Drug product

Date of issue: 08-JUL-2014

Replaces version of: 08-JUL-2014

AFINI TABD 5MG ALU (3X10) U98 725225 (MARS)

precautions

Methods for cleaning Transfer large quantities into a container. Clean up the rest with absorbent material and discharge properly.

7. Handling and storage

No special handling requirements for normal use of this material.

Store in a dry and cool place and observe special instructions from supplier.

8. Exposure controls / Personal protection

Occupational Exposure Limit (OEL)

no data available



TLV values of declared components

Contains:

Rapamycin, 42-O-(2-hydroxyethyl)-

| List type | mg/m3 | |
|-------------------------|-------|---|
| Internal exposure limit | 0.02 | / |

Personal protection for open handling

| | | |
|-----------------------|---|---|
| Health care personnel |   | Safety glasses (EN166) Lab coat Disposable gloves (EN374) |
|-----------------------|---|---|

9. Physical and chemical properties

Formulation Tablet

Flash Point not available

10. Stability and reactivity

Under the normal conditions of use, the product is stable.

11. Toxicological information

Acute Toxicity Data of Rapamycin, 42-O-(2-hydroxyethyl)-
LD50 oral: > 2000 mg/kg
Species: mouse

Data of Rapamycin, 42-O-(2-hydroxyethyl)-
LD50 oral: > 2000 mg/kg
Species: rat
Method: 96/54/EC, B.1 tris (ATC Method)

Irritation, Corrosion Values of Rapamycin, 42-O-(2-hydroxyethyl)-
Eye irritation not tested.

Data of Rapamycin, 42-O-(2-hydroxyethyl)-
Skin (Species: rabbit) non irritant
Method: 92/69/EC (L383) B.4 * Acute toxicity (skin irritation)

Sensitisation Data of Rapamycin, 42-O-(2-hydroxyethyl)-
Skin (Species: guinea pig) not sensitizing
Method: 92/69/EEC B.6 Modified Maximization Test

Mutagenicity Values of Rapamycin, 42-O-(2-hydroxyethyl)-
The product showed negative results in in vitro mutagenicity studies. The product showed negative results in in vivo mutagenicity studies.
Data of Rapamycin, 42-O-(2-hydroxyethyl)-

Safety Data Sheet for Drug product



Date of issue: 08-JUL-2014

Replaces version of: 08-JUL-2014

AFINI TABD 5MG ALU (3X10) U98 725225 (MARS)

| | |
|------------------------------|--|
| | Negative (Micronucleus Test) oral, Species: mouse, Cell: Bone marrow Data of Rapamycin, 42-O-(2-hydroxyethyl)- Negative (AMES-Test (reverse mutation assay)) in vitroCell: Strains of Salmonella typhimurium and Escherichia coli. |
| Chronic Effects | Values of Rapamycin, 42-O-(2-hydroxyethyl)- This substance causes concern for man owing to possible secondary carcinogenic effects due to immunosuppression. Immunosuppressants are known to produce cancer in transplant patients. Immunosuppression works in a dose-response relationship. The development of cancers is linked to the level of immunosuppression needed for transplantation. Below these levels, with the immune system functioning uninhibited, cancer will not develop due to exposure to immunosuppressants at work. Handling this substance, precautionary measures should be taken according to workplace health risk assessment. Data of Rapamycin, 42-O-(2-hydroxyethyl)- Moderate Toxicity (Repeated Dose Toxicity (subchronic study)) NTEL oral: 0.15 mg/kg/d Species: mouse, Organ: Multiple organs Dosage: 15 mg/kg/d, Duration: 13 weeks Data of Rapamycin, 42-O-(2-hydroxyethyl)- Moderate Toxicity (Repeated Dose Toxicity (subchronic study)) NTEL oral: 0.1 mg/kg/d Species: monkey, Organ: Multiple organs Duration: 52 weeks |
| Reproduction Toxicity | Values of Rapamycin, 42-O-(2-hydroxyethyl)- There is no evidence for reproductive toxicity. |

12. Ecological information

| | |
|--|---|
| Biological Elimination | Data of Rapamycin, 42-O-(2-hydroxyethyl)- Degradation: 2 % (aerobic: Temperature: 21.7 - 22.4 °C BOD/ThODX100) Not readily degradable Initial conc.: 100 mg/l, Duration: 28 days Method: 92/69/EC (L383) C.4-D * Manometric respirometry Inhibitory effects can be excluded. |
| Fish acute toxicity | Data of Rapamycin, 42-O-(2-hydroxyethyl)- LC50: > 18.4 mg/l Species: common carp (cyprinus carpio) Exp. time: 96 hours Method: EEC directive 92/69, Part C.1. Maximum testing concentration due to the substance's water solubility limit. |
| Fish chronic toxicity | Data of Rapamycin, 42-O-(2-hydroxyethyl)- LOEC: 0.0083 mg/l NOEC: NOEC: 0.0021 mg/l Species: zebra fish (danio rerio) Exp. time: 35 days Method: OECD 210 * 1992 |
| Aquatic invertebrate acute toxicity | Data of Rapamycin, 42-O-(2-hydroxyethyl)- EC50: > 8 mg/l Species: daphnia magna (water flea) Exp. time: 48 hours Method: 92/69/EEC (L383) C.2 * Acute toxicity for daphnia Maximum testing concentration due to the substance's water solubility limit. |
| Aquatic invertebrate chronic toxicity | Data of Rapamycin, 42-O-(2-hydroxyethyl)- LOEC: 0.000029 mg/l NOEC: NOEC: 0.000014 mg/l Species: daphnia magna (water flea) Exp. time: 21 days Method: OECD 211 * 2008 |

Safety Data Sheet for Drug product

Date of issue: 08-JUL-2014

Replaces version of: 08-JUL-2014

AFINI TABD 5MG ALU (3X10) U98 725225 (MARS)

| | |
|---|--|
| Algae Toxicity | Data of Rapamycin, 42-O-(2-hydroxyethyl)- EC50: > 16 mg/l NOEC: 7 mg/l Species: Pseudokirchneriella subcapitata/Selenastrum capricornutum (Green algae) Exp. time: 96 hours Method: 92/69/EC (L383) C.3 Maximum testing concentration due to the substance's water solubility limit. |
| Bacterial Respiration Inhibition | Data of Rapamycin, 42-O-(2-hydroxyethyl)- IC20: > 1000 mg/l IC50: > 1000 mg/l Species: activated sludge Exp. time: 3 hours Method: Inhibition of Oxygen Consumption by activated sludge (87/302/EEC), Part C |

13. Disposal considerations

Disposal Requirements Fill into suitable waste receptacles, seal and label them properly. Incineration in an approved, controlled furnace with combustion gas scrubbing and emission gas control. Local regulations should be adhered to.

14. Transport information


| Regulation | Class | UN No. | PG | Label | LQ |
|----------------|----------------|--------|----|-------|------|
| RID/ADR: | not restricted | 0 | | | N.A. |
| IMDG-Code: | not restricted | 0 | | | |
| ICAO/IATA-DGR: | not restricted | 0 | | | |

ICAO/IATA-DGR: no dangerous good

Proper shipping name: -

15. Regulatory information

Classifications of components:

| Chemical Name | Contains: | CAS Number | Picto | Signal Word | Classification |
|-----------------------------------|-----------|-------------|---|-------------|------------------|
| Rapamycin, 42-O-(2-hydroxyethyl)- | 0.1 - 2 % | 159351-69-6 |  | D | H351, H372, H410 |

Remaining components are inert ingredients.

16. Other information

Changes since the previous version in Section

1. Identification of the substance/preparation and of the company
4. First aid measures
8. Exposure controls / Personal protection

Abbreviations used

H351: Suspected of causing cancer.

H372: Causes damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Recipient

Henry Delima
Delima Associates
1227 Providence Terr
McLean, VA
USA

Product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with

Safety Data Sheet for Drug product



Date of issue: 08-JUL-2014

Replaces version of: 08-JUL-2014

AFINI TABD 5MG ALU (3X10) U98 725225 (MARS)

legal regulations. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should therefore not be construed as guaranteeing specific properties.