



SAFETY DATA SHEET

Product Name: Metoclopramide Injection, USP

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Name And Address	Hospira, Inc. 275 North Field Drive Lake Forest, Illinois 60045 USA
Emergency Telephone	CHEMTREC: North America: 800-424-9300; International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418
Hospira, Inc., Non-Emergency	224 212-2000
Product Name	Metoclopramide Injection, USP
Synonyms	4-amino-5-chloro-N-[2-(diethylamino)ethyl]-2-methoxybenzamide monohydrochloride monohydrate

2. HAZARD(S) IDENTIFICATION

Emergency Overview	Metoclopramide Injection, USP is a solution containing metoclopramide hydrochloride, a selective dopamine antagonist that increases gut motility. It stimulates the motility of the upper gastrointestinal tract without affecting gastric, biliary, or pancreatic secretion and increases gastric peristalsis, leading to accelerated gastric emptying. In the workplace, this material should be considered potentially irritating to the eyes and respiratory tract. Based on clinical use, possible target organs include the central nervous system, gastrointestinal system and possibly the endocrine system.
---------------------------	--

U.S. OSHA GHS Classification

Physical Hazards	Hazard Class	Hazard Category
	Not Classified	Not Classified
Health Hazards	Hazard Class	Hazard Category
	Not Classified	Not Classified

Label Element(s)

Pictogram NA

Signal Word NA

Hazard Statement(s) NA

Precautionary Statement(s)

Prevention Do not breathe vapor or spray
Wash hands thoroughly after handling

Response Get medical attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name Metoclopramide Hydrochloride Monohydrate
Chemical Formula C₁₄H₂₂ClN₃O₂ • HCl • H₂O

Component	Approximate Percent by Weight	CAS Number	RTECS Number
Metoclopramide Hydrochloride Monohydrate	0.5	54143-57-6	NA

Non-hazardous ingredients include Water for Injection. Hazardous ingredients present at less than 1% may include sodium chloride. Sodium hydroxide and/or hydrochloric acid may be added to adjust the pH.

4. FIRST AID MEASURES

Eye Contact Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Skin Contact Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Inhalation Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Ingestion Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability None anticipated for this aqueous product.

Fire & Explosion Hazard None anticipated for this aqueous product.

Extinguishing Media As with any fire, use extinguishing media appropriate for primary cause of fire such as carbon dioxide, dry chemical extinguishing powder or foam.

Special Fire Fighting Procedures No special provisions required beyond normal firefighting equipment such as flame and chemical resistant clothing and self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal Isolate area around spill. Put on suitable protective clothing and equipment as specified by site spill control procedures. Absorb the liquid with suitable material and clean affected area with soap and water. Dispose of spill materials according to the applicable federal, state, or local regulations.

7. HANDLING AND STORAGE

Handling No special handling required for hazard control under conditions of normal product use.

Storage No special storage required for hazard control. For product protection, follow storage recommendations noted on the product case label, the primary container label, or the product insert.

Special Precautions No special precautions required for hazard control.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	Exposure Limits			
	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL
Metoclopramide Hydrochloride Monohydrate	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit
 ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value.
 AIHA WEEL: Workplace Environmental Exposure Level
 EEL: Employee Exposure Limit.
 TWA: 8-hour Time Weighted Average.

Respiratory Protection Respiratory protection is normally not needed during intended product use. However, if the generation of dusts or aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended under conditions where airborne dust or aerosol concentrations are not expected to be excessive. For uncontrolled release events, or if exposure levels are not known, provide respirators that offer a high protection factor such as a powered air purifying respirator or supplied air. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions require respirator use. Personnel who wear respirators should be fit tested and approved for respirator use as required.

Skin Protection If skin contact with the product formulation is likely, the use of latex or nitrile gloves is recommended.

Eye Protection Eye protection is normally not required during intended product use. However, if eye contact is likely to occur, the use of chemical safety goggles (as a minimum) is recommended.

Engineering Controls Engineering controls are normally not needed during the normal use of this product.

9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State	Clear, colorless, sterile solution
Odor	NA
Odor Threshold	NA
pH	4.4 (2.5 to 6.5)
Melting point/Freezing Point	NA
Initial Boiling Point/Boiling Point Range	NA
Flash Point	NA
Evaporation Rate	NA
Flammability (solid, gas)	NA
Upper/Lower Flammability or Explosive Limits	NA
Vapor Pressure	NA
Vapor Density (Air =1)	NA
Relative Density	NA
Solubility	Metoclopramide hydrochloride is a white or practically white, crystalline, odorless or practically odorless powder. It is very soluble in water, freely soluble in alcohol, sparingly soluble in chloroform, practically insoluble in ether.
Partition Coefficient: n-octanol/water	NA
Auto-ignition Temperature	NA
Decomposition Temperature	NA
Viscosity	NA

10. STABILITY AND REACTIVITY

Reactivity	Not determined.
Chemical Stability	Stable under standard use and storage conditions.
Hazardous Reactions	Not determined
Conditions to Avoid	Not determined
Incompatibilities	Not determined
Hazardous Decomposition Products	Not determined. During thermal decomposition, it may be possible to generate irritating vapors and/or toxic fumes of carbon oxides (CO _x), nitrogen oxides (NO _x), and hydrogen chloride vapor.
Hazardous Polymerization	Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Not determined for the product formulation. Information for metoclopramide hydrochloride is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Metoclopramide Hydrochloride	100	LD50	Oral	750	mg/kg	Rat
				270	mg/kg	Mouse
Metoclopramide Hydrochloride	100	LD50	Intravenous	50	mg/kg	Rat
				33	mg/kg	Mouse
				30	mg/kg	Rabbit

LD 50: Dosage that produces 50% mortality.

Occupational Exposure Potential	Information on the absorption of this product via inhalation or skin contact is not available. Avoid liquid aerosol generation and skin contact.
Signs and Symptoms	None anticipated from normal handling of this product. In clinical use, the most frequent side effects (that occur in about 10% of patients) include restlessness, drowsiness, fatigue and lassitude. Extrapyramidal symptoms are also observed in 1 of 500 patients receiving doses in the range of 30-40 mg/day. Other side effects include insomnia, headache, dizziness, endocrine disturbances (e.g., galactorrhea, gynecomastia, menstrual disorders), cardiovascular effects, rare hepatotoxicity and allergic reactions. A single dose of metoclopramide produces a prominent elevation in maternal serum prolactin in pregnant women. Metoclopramide can also increase milk production in lactating/nursing women. Hyper-prolactinemia may be associated with menstrual disturbances and infertility in women. Amenorrhea and galactorrhea have been reported in women and impotency has been reported in men.
Aspiration Hazard	None anticipated from normal handling of this product.
Dermal Irritation/ Corrosion	None anticipated from normal handling of this product.
Ocular Irritation/ Corrosion	None anticipated from normal handling of this product. However, inadvertent contact of this product with eyes may produce irritation with redness and tearing.
Dermal or Respiratory Sensitization	None anticipated from normal handling of this product.
Reproductive Effects	None anticipated from normal handling of this product. Reproduction studies performed in rats, mice, and rabbits by the IV, IM, subcutaneous (SC), and oral routes at maximum levels ranging from 12 to 250 times the human dose have demonstrated no impairment of fertility or significant harm to the fetus due to metoclopramide. In some patients, metoclopramide can elevate levels of the hormone prolactin. Although disturbances such as galactorrhea, amenorrhea, gynecomastia, and impotence have been reported with prolactin-elevating drugs, the clinical significance of elevated serum prolactin levels is unknown for most patients.

11. TOXICOLOGICAL INFORMATION: continued

Mutagenicity	An Ames mutagenicity test performed on metoclopramide was negative.		
Carcinogenicity	A 77-week study was conducted in rats with oral doses up to about 40 times the maximum recommended human daily dose. Metoclopramide elevated prolactin levels and the elevation persisted during chronic administration. An increase in mammary neoplasms has been found in rodents after chronic administration of prolactin-stimulating neuroleptic drugs and metoclopramide. Neither clinical studies nor epidemiologic studies conducted to date, however, have shown an association between chronic administration of these drugs and mammary tumorigenesis; the available evidence is too limited to be conclusive at this time.		
Carcinogen Lists	IARC: Not listed	NTP: Not listed	OSHA: Not listed
Specific Target Organ Toxicity – Single Exposure	NA		
Specific Target Organ Toxicity – Repeat Exposure	Based on clinical use, possible target organs include the nervous system, gastrointestinal system and possibly the endocrine system.		

12. ECOLOGICAL INFORMATION

Aquatic Toxicity	Not determined for product.
Persistence/Biodegradability	Not determined for product.
Bioaccumulation	Not determined for product.
Mobility in Soil	Not determined for product.

Notes:

13. DISPOSAL CONSIDERATIONS

Waste Disposal	All waste materials must be properly characterized. Further, disposal should be performed in accordance with the federal, state or local regulatory requirements.
Container Handling and Disposal	Dispose of container and unused contents in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

ADR/ADG/ DOT STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA
ICAO/IATA STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA
IMDG STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA

Notes: DOT - US Department of Transportation Regulations

15. REGULATORY INFORMATION

US TSCA Status	Exempt
US CERCLA Status	Not listed
US SARA 302 Status	Not listed
US SARA 313 Status	Not listed
US RCRA Status	Not listed
US PROP 65 (Calif.)	Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65

GHS/CLP Classification* *In the EU, classification under GHS/CLP does not apply to certain substances and mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in the finished state, intended for the final user.

Hazard Class	Hazard Category	Pictogram	Signal Word	Hazard Statement
NA	NA	NA	NA	NA

Prevention Do not breathe vapor or spray.
Wash hands thoroughly after handling.

Response Get medical attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

EU Classification* *Medicinal products are exempt from the requirements of the EU Dangerous Preparations Directive.

Classification(s)	NA
Symbol	NA
Indication of Danger	NA
Risk Phrases	NA
Safety Phrases	S23: Do not breathe vapor/spray S24: Avoid contact with the skin S25: Avoid contact with eyes S37/39 Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

Notes:

ACGIH TLV	American Conference of Governmental Industrial Hygienists – Threshold Limit Value
CAS	Chemical Abstracts Service Number
CERCLA	US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act
DOT	US Department of Transportation Regulations
EEL	Employee Exposure Limit
IATA	International Air Transport Association
LD ₅₀	Dosage producing 50% mortality
NA	Not applicable/Not available
NE	Not established
NIOSH	National Institute for Occupational Safety and Health
OSHA PEL	US Occupational Safety and Health Administration – Permissible Exposure Limit
Prop 65	California Proposition 65
RCRA	US EPA, Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act
STEL	15-minute Short Term Exposure Limit
STOT - SE	Specific Target Organ Toxicity – Single Exposure
STOT - RE	Specific Target Organ Toxicity – Repeated Exposure
TSCA	Toxic Substance Control Act
TWA	8-hour Time Weighted Average

16. OTHER INFORMATION: continued

MSDS Coordinator: Hospira GEHS
Date Prepared: October 19, 2012
Date Revised: June 02, 2014

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.