

Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
Date of first issue: 31.08.2017

SECTION 1. IDENTIFICATION

1.1 Product identifier

XIGDUO TABLETS

Details of the supplier of the safety data sheet

: ASTRAZENECA
P.O. Box 15437
Wilmington, DE 19850-5437
USA

Phone (24 hr.) Medical :
(800) 236-9933
(24 hr.) Chemical / Spill Emergency:
INFOTRAC - (800) 535-5053

SafetyDataSheets.AlderleyPark@astrazeneca.com

Alternative Names

Dapagliflozin and Metformin Hydrochloride Tablets 2,5/850 mg, 2,5/1000 mg, 5/850 mg, 5/1000 mg
Dapagliflozin and metformin hydrochloride tablets

Xigduo IR

Xigduo XR

CAS No. : Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Treatment of Type II Diabetes

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Oral) : Category 4

Reproductive toxicity : Category 1B

Effects on or via lactation

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H360 May damage fertility or the unborn child.
H362 May cause harm to breast-fed children.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
 Date of first issue: 31.08.2017

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
 P308 + P313 IF exposed or concerned: Get medical advice/attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

See Section 11.

May cause nausea, vomiting, severe abdominal pain and diarrhea.

May cause hypoglycemia.

The product may form flammable dust clouds in air, if dust from crushed tablets is allowed to accumulate and if it is dispersed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Metformin Hydrochloride	1115-70-4	67 - 68
Titanium dioxide	13463-67-7	0.1 - 1
Talc	14807-96-6	1
Dapagliflozin	960404-48-2	0.1 - 0.5

SECTION 4. FIRST AID MEASURES

- If inhaled : Remove patient from exposure.
Obtain medical attention if ill effects occur.
- In case of skin contact : Wash skin with soap and water.
- In case of eye contact : Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes.
Obtain medical attention if ill effects remain.
- If swallowed : Wash out mouth with water and give 200-300ml of water to drink.
Obtain medical attention if ill effects occur.
Do NOT induce vomiting as a First-Aid measure.
- Most important symptoms and effects, both acute and delayed : Refer to sections 2 and 11
Harmful if swallowed.
May damage fertility or the unborn child.
May cause harm to breast-fed children.
- Notes to physician : Symptomatic treatment and supportive therapy as indicated.
For further detail consult the prescribing information.

Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
 Date of first issue: 31.08.2017

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : water spray, foam, dry chemical or CO₂.
- Unsuitable extinguishing media : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
- Specific hazards during fire fighting : If involved in a fire, it may burn and emit noxious and toxic fumes.
- Special protective equipment for fire-fighters : A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure suitable personal protection during removal of spillages.
 Avoid dispersal of dust in the air.
- Environmental precautions : Prevent entry into drains.
- Methods and materials for containment and cleaning up : Avoid dust generation.
 Transfer spilled tablets to a suitable container for disposal.
 Wash the spillage area with water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
 Wash hands after use.
 Minimize dust generation and accumulation.
 The product may form flammable dust clouds in air, if dust from crushed tablets is allowed to accumulate and if it is dispersed.
- Conditions for safe storage : Keep container tightly closed.
 Protect from light.
 Store at room temperature.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Metformin Hydrochloride	1115-70-4	TWA	5 mg/m ³	COM; HYG
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA	10 mg/m ³ (Titanium dioxide)	ACGIH

SAFETY DATA SHEET



Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
 Date of first issue: 31.08.2017

Talc	14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (respirable dust fraction)	2 mg/m ³	OSHA P0
		TWA (Respirable)	2 mg/m ³	NIOSH REL
		TWA	0.1 fibres per cubic centimeter	ACGIH
		TWA (Respirable fraction)	2 mg/m ³	ACGIH
Dapagliflozin	960404-48-2	TWA	0.01 mg/m ³	COM

Engineering measures : The specific controls will depend on local circumstances and should be based on the risk assessment. Appropriate controls to reduce exposure may include engineering controls, for example ventilation, procedural controls and the use of personal protection equipment.

Prevent entry into drains, sewers or watercourses.

Personal protective equipment

Respiratory protection : As necessary, use NIOSH approved respiratory protection device consistent with the work place risk assessment. Consult a qualified safety and health professional for additional guidance, as needed.

Eye protection : Use safety glasses to protect against direct contact with the product if the risk assessment does not support the selection of other protection.

Skin and body protection : Use impervious clothing to protect against direct contact with the product or for repeated, excessive handling use full chemical protective suit if the risk assessment does not support the selection of other protection. Use impervious protective gloves to protect against direct contact with the product. If the product is dissolved or wetted use a glove material that is resistant to the solvent/liquid.

Protective measures : Decisions about whether the use of personal protective equipment (PPE) is appropriate as part of the control strategy should be based on the workplace risk assessment and should take account of local legislative requirements for selection and use. There are multiple factors that will affect the specific requirements such as amount and concentration of the material, duration of exposure, frequency of exposure, external environmental conditions, the task, the user etc. All the information above should not be used in isolation and should be considered in the context of the workplace risk assessment on a case by case basis. The recommended personal protective equipment (PPE) is based on preventing the potential adverse health effects from

Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

exposure to the active pharmaceutical ingredient (API). The risk of exposure to the API in the formulation/product needs to be taken into consideration.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	film-coated tablets
Color	:	2,5/850 mg - white; 2,5/1000 mg - orange; 5/850 mg - brown; 5/1000 mg - yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	Not applicable

SAFETY DATA SHEET



Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Oxidizing properties	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No known reactivity hazard under normal conditions.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	No conditions producing hazardous situations known.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 735.29 mg/kg Method: Calculation method
---------------------	---	---

Ingredients:

Metformin Hydrochloride:

Acute oral toxicity	:	LD50 Oral (Rat): 1,000 - 1,770 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---	---

Acute inhalation toxicity	:	Remarks: May cause effects as described under single exposure.(STOT)
---------------------------	---	--

Acute dermal toxicity	:	Remarks: No data available
-----------------------	---	----------------------------

Dapagliflozin:

Acute oral toxicity	:	Evident toxicity with mortality in rats at a dose of: 750 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---	--

Acute inhalation toxicity	:	Remarks: No information available on acute toxicity. May cause effects as described under repeated exposure.(STOT)
---------------------------	---	---

Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

Assessment

11.6 Carcinogenicity

Not classified based on available information.

Ingredients:

Metformin Hydrochloride:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Dapagliflozin:

Carcinogenicity - Assessment : Studies in animals have shown that chronic exposures produce no carcinogenic effects.

IARC

Group 1: Carcinogenic to humans

Talc 14807-96-6

Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

Known to be human carcinogen

Talc 14807-96-6

11.7 Reproductive toxicity

May damage fertility or the unborn child.
May cause harm to breast-fed children.

Ingredients:

Metformin Hydrochloride:

Reproductive toxicity - Assessment : There is no evidence of reprotoxicity in animal tests.

Dapagliflozin:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.
Effects on or via lactation

11.8 STOT-single exposure

Not classified based on available information.

Ingredients:

Metformin Hydrochloride:

Routes of exposure: Oral, Inhalation
Remarks: Based on human experience.

Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

May cause nausea, vomiting, severe abdominal pain and diarrhea.

Dapagliflozin:

Remarks: May cause effects as described under repeated exposure.(STOT)

11.9 STOT-repeated exposure

Not classified based on available information.

Ingredients:

Metformin Hydrochloride:

Routes of exposure: Oral, Inhalation

Remarks: May cause effects as described under single exposure.(STOT)

Repeated exposure may cause anorexia.

Repeated exposure may produce adverse effects on the testes, uterus and kidneys.

Dapagliflozin:

Routes of exposure: Oral

Target Organs: Kidney, Bone

Assessment: Causes damage to organs through prolonged or repeated exposure.

Remarks: These effects are derived from studies in animals.

Remarks: Repeated exposure may cause diarrhea, nausea, gastrointestinal discomfort, weakness, headache, dizziness, sweating, paleness, rash, dermatitis, swelling, blurred vision, abdominal pain, Flank pain, changes in clinical chemistry parameters, and lowered blood pressure.

Increased risk of urinary tract infection and fungal infection.

May cause hypoglycemia.

It may produce diuretic effects.

11.10 Aspiration toxicity

Not classified based on available information.

Ingredients:

Metformin Hydrochloride:

No information available.

Dapagliflozin:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Metformin Hydrochloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 982 mg/l
Exposure time: 96 H

SAFETY DATA SHEET



Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
Date of first issue: 31.08.2017

- LOEC (Pimephales promelas (fathead minnow)): > 10 mg/l
- NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l
Exposure time: 48 H
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 H
- NOEC (green algae): 100 mg/l
Exposure time: 72 H
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 67 mg/l
Exposure time: 21 d
- Dapagliflozin:**
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 H
Method: OECD Test Guideline 202
- Toxicity to algae : ErC50 (green algae): 120 mg/l
Exposure time: 72 H
- NOEC (green algae): 37 mg/l
Exposure time: 72 H
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: Highest concentration tested (no effects).
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : (NOEC) Respiration inhibition (Sewage sludge organisms): 200 mg/l
Exposure time: 3 H
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Ingredients:

Metformin Hydrochloride:

- Biodegradability : aerobic
Result: Not readily biodegradable.
Biodegradation: 0.60 %
Exposure time: 28 d
Remarks: FDA 3.11

Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
Date of first issue: 31.08.2017

Dapagliflozin:

Biodegradability : Biodegradation: 11 %
Method: OECD Test Guideline 301F
Remarks: Not rapidly degradable.
The substance is not significantly hydrolyzed in water.

Bioaccumulative potential**Ingredients:****Metformin Hydrochloride:**

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

Dapagliflozin:

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

Mobility in soil**Ingredients:****Metformin Hydrochloride:**

Mobility : Remarks: Water solubility \geq 1 mg/l.

Distribution among environmental compartments : Remarks: No information available.

Dapagliflozin:

Mobility : Remarks: Water solubility \geq 1 mg/l.

Distribution among environmental compartments : Remarks: No information available.

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Disposal should be in accordance with local, state or national legislation.

SAFETY DATA SHEET



Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
Date of first issue: 31.08.2017

Waste, even small quantities, should never be poured down drains, sewers or water courses.
Normal waste disposal is via incineration operated by an accredited disposal contractor.

Contaminated packaging : Empty container will retain product residue. Observe all hazard precautions.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Ingredients	CAS-No.	Component TPQ (lbs)
-------------	---------	---------------------

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

SAFETY DATA SHEET



Version 8.0 Revision Date: 08.02.2018 SDS Number: 11653 Date of last issue: 31.08.2017
Date of first issue: 31.08.2017

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Talc	14807-96-6
Titanium dioxide	13463-67-7

Pennsylvania Right To Know

Metformin Hydrochloride	1115-70-4
Talc	14807-96-6
Titanium dioxide	13463-67-7

New Jersey Right To Know

Metformin Hydrochloride	1115-70-4
Talc	14807-96-6
Titanium dioxide	13463-67-7

California Prop. 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

California List of Hazardous Substances

Talc	14807-96-6
------	------------

California Permissible Exposure Limits for Chemical Contaminants

Talc	14807-96-6
Titanium dioxide	13463-67-7

California Regulated Carcinogens

Talc	14807-96-6
------	------------

The ingredients of this product are reported in the following inventories:

REACH : Not listed

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Metformin Hydrochloride

Dapagliflozin

AICS : Not listed

ENCS : Not listed

ISHL : Not listed

IECSC : Not listed

TCSI : Not listed

TSCA : Not On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
 OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
 ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
 OSHA P0 / TWA : 8-hour time weighted average
 OSHA Z-1 / TWA : 8-hour time weighted average
 OSHA Z-3 / TWA : 8-hour time weighted average
 AGW – Arbeitsplatzgrenzwert (Germany TRGS 900); AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; COM – In-house occupational exposure limit; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; HYG – Analytical method for occupational exposure monitoring; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; Sen – Capable of causing respiratory sensitization; Sk – Can be absorbed through skin, thus contributing to systemic effects; STEL – Short-term exposure limit 15-minutes time-weighted average; TLV – Threshold Limit Value (ACGIH); TLV-C – Threshold Limit Value Ceiling limit (ACGIH); TSCA - Toxic Substances Control Act (United States); TWA – Long-term exposure limit 8h time-weighted average; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET



Version	Revision Date:	SDS Number:	Date of last issue: 31.08.2017
8.0	08.02.2018	11653	Date of first issue: 31.08.2017

New significant SHE information:

- 2. New classification
- 8. New Occupational Exposure Limit Value
- 11. Carcinogenicity

Minor changes:

- 3
- 4
- 12
- 15
- 16

Revision Date : 08.02.2018

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z2